









Emulador









MIT App Inventor x Emulador: Google Drive x Emulador - Documents de Goog... x +

No segur | ai2.appinventor.mit.edu/?locale=ca#5235315875643392

Classes Additio XTEC - Xarxa Telem... Institut MIT App Inventor

Error en l'execució

Error del Companion: java.lang.RuntimeException: invalid syntax in eval form: :7:1: caught exception in inliner for # - java.lang.RuntimeException: no such class:
com.google.appinventor.components.runtime.com.google.appinventor.components.runtime.Button gnu.bytecode.ObjectType.getReflectClass(ObjectType.java:148)
gnu.bytecode.ClassType.getModifiers(ClassType.java:103) gnu.bytecode.ClassType.isInterface(ClassType.java:471) gnu.expr.InlineCalls.checkType(InlineCalls.java:56) gnu.expr.InlineCalls.visit(InlineCalls.java:49)
gnu.expr.InlineCalls.visitSetExpValue(InlineCalls.java:363) gnu.expr.InlineCalls.visitSetExpValue(InlineCalls.java:28) gnu.expr.ExpVisitor.visitSetExp(ExpVisitor.java:114)
gnu.expr.InlineCalls.visitSetExp(InlineCalls.java:369) gnu.expr.InlineCalls.visitSetExp(InlineCalls.java:28) gnu.expr.SetExp.visit(SetExp.java:406) gnu.expr.ExpVisitor.visit(ExpVisitor.java:55)
gnu.expr.InlineCalls.visit(InlineCalls.java:46) gnu.expr.InlineCalls.visitBeginExp(InlineCalls.java:272) gnu.expr.InlineCalls.visitBeginExp(InlineCalls.java:28) gnu.expr.BeginExp.visit(BeginExp.java:156)
gnu.expr.ExpVisitor.visit(ExpVisitor.java:51) gnu.expr.InlineCalls.visit(InlineCalls.java:46) gnu.expr.InlineCalls.visitBeginExp(InlineCalls.java:272) gnu.expr.InlineCalls.visitBeginExp(InlineCalls.java:28)
gnu.expr.BeginExp.visit(BeginExp.java:156) gnu.expr.ExpVisitor.visit(ExpVisitor.java:51) gnu.expr.InlineCalls.visit(InlineCalls.java:46) gnu.expr.InlineCalls.visitLetExp(InlineCalls.java:317)
gnu.expr.InlineCalls.visitLetExp(InlineCalls.java:28) gnu.expr.LetExp.visit(LetExp.java:207) gnu.expr.ExpVisitor.visit(ExpVisitor.java:51) gnu.expr.InlineCalls.visit(InlineCalls.java:46)
gnu.expr.InlineCalls.visit(InlineCalls.java:28) gnu.expr.LambdaExp.visitChildrenOnly(LambdaExp.java:1664) gnu.expr.LambdaExp.visitChildren(LambdaExp.java:1651)
gnu.expr.InlineCalls.visitScopeExp(InlineCalls.java:279) gnu.expr.InlineCalls.visitLambdaExp(InlineCalls.java:349) gnu.expr.InlineCalls.visitLambdaExp(InlineCalls.java:28)
gnu.expr.LambdaExp.visit(LambdaExp.java:1640) gnu.expr.ExpVisitor.visit(ExpVisitor.java:55) gnu.expr.InlineCalls.visit(InlineCalls.java:46) gnu.expr.InlineCalls.visit(InlineCalls.java:28)
gnu.expr.ExpVisitor.visitAndUpdate(ExpVisitor.java:152) gnu.expr.ExpVisitor.visitExps(ExpVisitor.java:176) gnu.expr.ApplyExp.visitArgs(ApplyExp.java:416)
gnu.kawa.reflect.CompileInvoke.validateApplyInvoke(CompileInvoke.java:23) java.lang.reflect.Method.invokeNative(Native Method) java.lang.reflect.Method.invoke(Method.java:521)
gnu.expr.InlineCalls.maybeInline(InlineCalls.java:467) gnu.expr.QuoteExp.validateApply(QuoteExp.java:150) gnu.expr.ReferenceExp.validateApply(ReferenceExp.java:191)
gnu.kawa.functions.CompilationHelpers.validateApplyToArgs(CompilationHelpers.java:66) java.lang.reflect.Method.invokeNative(Native Method) java.lang.reflect.Method.invoke(Method.java:521)
gnu.expr.InlineCalls.maybeInline(InlineCalls.java:467) gnu.expr.QuoteExp.validateApply(QuoteExp.java:150) gnu.expr.ReferenceExp.validateApply(ReferenceExp.java:191)
gnu.expr.InlineCalls.visitApplyExp(InlineCalls.java:119) gnu.expr.InlineCalls.visitApplyExp(InlineCalls.java:28) gnu.expr.ApplyExp.visit(ApplyExp.java:411) gnu.expr.ExpVisitor.visit(ExpVisitor.java:55)
gnu.expr.InlineCalls.visit(InlineCalls.java:46) gnu.expr.QuoteExp.validateApply(QuoteExp.java:150) gnu.expr.ReferenceExp.validateApply(ReferenceExp.java:191)
gnu.kawa.functions.CompilationHelpers.validateApplyToArgs(CompilationHelpers.java:66) java.lang.reflect.Method.invokeNative(Native Method) java.lang.reflect.Method.invoke(Method.java:521)
gnu.expr.InlineCalls.maybeInline(InlineCalls.java:467) gnu.expr.QuoteExp.validateApply(QuoteExp.java:150) gnu.expr.ReferenceExp.validateApply(ReferenceExp.java:191)
gnu.expr.InlineCalls.visitApplyExp(InlineCalls.java:119) gnu.expr.InlineCalls.visitApplyExp(InlineCalls.java:28) gnu.expr.ApplyExp.visit(ApplyExp.java:411) gnu.expr.ExpVisitor.visit(ExpVisitor.java:51)
gnu.expr.InlineCalls.visit(InlineCalls.java:46) gnu.expr.InlineCalls.visitBeginExp(InlineCalls.java:272) gnu.expr.InlineCalls.visitBeginExp(InlineCalls.java:28) gnu.expr.BeginExp.visit(BeginExp.java:156)
gnu.expr.ExpVisitor.visit(ExpVisitor.java:51) gnu.expr.InlineCalls.visit(InlineCalls.java:46) gnu.expr.InlineCalls.visit(InlineCalls.java:28) gnu.expr.LambdaExp.visitChildrenOnly(LambdaExp.java:1664)
gnu.expr.LambdaExp.visitChildren(LambdaExp.java:1651) gnu.expr.InlineCalls.visitScopeExp(InlineCalls.java:279) gnu.expr.InlineCalls.visitLambdaExp(InlineCalls.java:349)
gnu.expr.InlineCalls.visitLambdaExp(InlineCalls.java:28) gnu.expr.ExpVisitor.visitModuleExp(ExpVisitor.java:103) gnu.expr.ModuleExp.visit(ModuleExp.java:482) gnu.expr.ExpVisitor.visit(ExpVisitor.java:51)
gnu.expr.InlineCalls.visit(InlineCalls.java:46) gnu.expr.InlineCalls.visit(InlineCalls.java:33) gnu.expr.Compilation.walkModule(Compilation.java:994) gnu.expr.Compilation.process(Compilation.java:1965)
gnu.expr.ModuleInfo.loadByStages(ModuleInfo.java:330) gnu.expr.ModuleExp.evalModule1(ModuleExp.java:238) gnu.expr.ModuleExp.evalModule(ModuleExp.java:198) gnu.expr.Language.eval(Language.java:943)
gnu.expr.Language.eval(Language.java:883) gnu.expr.Language.eval(Language.java:865) com.google.appinventor.components.runtime.util.ApplnHTTPD.serve(AplnHTTPD.java:188)
com.google.appinventor.components.runtime.util.NanoHTTPD\$HTTPSession.run(NanoHTTPD.java:470) java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1068)
java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:561) java.lang.Thread.run(Thread.java:1096)

Descartar

16:17
12/10/2022

